INDEX

ANDERSON, D., ERIKSSON, L.-G. and LISAK, M. Time evolution of the velocity distribution of neutral-beam injected ions heated by ICRH in a two-component plasma, 285

BALESCU, R. *See* WEYSSOW, B. and BALESCU, R.

BAZDENKOV, S. V. and POGUTSE, O. P. Hydrodynamic analogy of nonlinear plasma flows, 27

BHAKTA, J. C. Nonlinear dispersion relation for nonlinear Schrödinger equation, 297

BOYD, T. J. M., LONSDALE, R. D. and SANDERSON, J. J. Electron thermal transport in laser-target plasmas on the basis of Grad's 13-moment transport equations, 115

BRODIN, G. and STENFLO, L. Three-wave coupling coefficients for MHD plasmas, 277

COPPINS, M. *See* KANELLOPOULOS, S., COPPINS, M. and HAINES, M. G.

DAS, K. P. *See* GHOSH, B. and DAS, K. P.

DIETRICH, J. *See* KRÄMER, M., SOLLICH, N. and DIETRICH, J.

DOUGHERTY, J. P. Editorial notice, 181

DOUGHERTY, M. K. *See* MCKENZIE, J. F. and DOUGHERTY, M. K.

ERIKSSON, L.-G. *See* ANDERSON, D., ERIKSSON, L.-G. and LISAK, M.

FU, G. and VAN DAM, J. W. Effect of ballooning instability on tokamak confinement, 11

GHOSH, B. and DAS, K. P. Nonlinear interactions of two compressional hydromagnetic waves, 215

GRZESIK, J. A. Field-driven ion migration against dead-stop collisional braking, 53

HAINES, M. G. *See* KANELLOPOULOS, S., COPPINS, M. and HAINES, M. G.

HAMABATA, H. and NAMIKAWA, T. Mean-field magnetohydrodynamics associated with random Alfvén waves in a plasma with weak magnetic diffusion, 139

HANSEN, F. R., LYNOV, J. P., MAROLI, C. and PETRILLO, V. Full-wave calculations of the O–X mode conversion process, 319

JAIN, V. K. *See* TALUKDAR, I. and JAIN, V. K.

KANELLOPOULOS, S., COPPINS, M. and HAINES, M. G. On the application of the ideal magnetohydrodynamic linear eigenvalue equation to the Z-pinch, 521

KARPMAN, V. I. and SHAGALOV, A. G. Nonlinear stage of the modulational instability of a whistler wave. Part 2, 1

KIM, S. H. Electron cyclotron masing and the force due to net stimulated bremsstrahlung in an electron cyclotron maser using a dilute non-relativistic electron beam, 229

KRÄMER, M., SOLLICH, N. and DIETRICH, J. Anomalous transport and anomalous heating due to lower-hybrid wave fields, 447

LIEBERT, W. and REBHAN, E. Resistively induced plasma diffusion due to the trivial marginal modes of ideal MHD, 157

LISAK, M. *See* ANDERSON, D., ERIKSSON, L.-G. and LISAK, M.

LONSDALE, R. D. *See* BOYD, T. J. M., LONSDALE, R. D. and SANDERSON, J. J.

LYNOV, J. P. *see* HANSEN, F. R., LYNOV, J. P., MAROLI, C. and PETRILLO, V.

MAJUMDAR, D. Nonlinear excitation of convective cell by drift wave and spectrum cascade process in finite ion temperature plasma, 169

MALNEV, V. N. *See* MULUGETA, S. and MALNEV, V. N.

MAROLI, C. *See* HANSEN, F. R., LYNOV, J. P., MAROLI, C. and PETRILLO, V.

MCKENZIE, J. F. and DOUGHERTY, M. K. Electrostatic Rossby-type ion plasma waves, 103

MCKENZIE, J. F. *See* ZANK, G. P. and MCKENZIE, J. F.

MONTGOMERY, D. *See* SHEBALIN, J. V. and MONTGOMERY, D.

MORRO, A. and ROMEO, M. Thermodynamic derivation of Saha's equation for a multi-temperature plasma, 41

MULUGETA, S. and MALNEV, V. N. Thermodynamic properties and waves in a dipole plasma, 475

MYNICK, H. E. The generalized Balescu–Lenard collision operator, 303

NAMIKAWA, T. *See* HAMABATA, H. and NAMIKAWA, T.

NYCANDER, J. New stationary vortex solutions of the Hasegawa–Mima equation, 413

OREFICE, A. Relativistic theory of absorption and emission of electron cyclotron waves in anisotropic plasmas, 61

PERT, G. J. Models of laser-plasma ablation. Part 3. Steady-state theory: deflagration flow, 241

PETRILLO, V. *See* HANSEN, F. R., LYNOV, J. P., MAROLI, C. and PETRILLO, V.

POGUTSE, O. P. *See* BAZDENKOV, S. V. and POGUTSE, O. P.

RAO, N. N. Near-magnetosonic envelope upper-hybrid waves, 385

REBHAN, E. *See* LIEBERT, W. and REBHAN, E.

RELKE, I. V. and RUBENCHIK, A. M. The interaction of high-frequency and low-frequency waves in magnetized plasmas, 369

ROMEO, M. *See* MORRO, A. and ROMEO, M.

RUBENCHIK, A. M. *See* RELKE, I. V. and RUBENCHIK, A. M.

SANDERSON, J. J. *See* BOYD, T. J. M., LONSDALE, R. D. and SANDERSON, J. J.

SHAGALOV, A. G. *See* KARPMAN, V. I. and SHAGALOV, A. G.

SHEBALIN, J. V. and MONTGOMERY, D. Turbulent magnetohydrodynamic density fluctuations, 339

SHUKLA, P. K. Effects of parallel ion dynamics on drift-Alfvén vortices in plasmas, 151

SOLLICH, N. *See* KRÄMER, M., SOLLICH, N. and DIETRICH, J.

STENFLO, L. *See* BRODIN, G. and STENFLO, L.

SUMMERS, D. *See* THORNE, R. M. and SUMMERS, D.

TALUKDAR, I. and JAIN, V. K. Excitation of whistlers and quasi-static modes by an annular electron beam in a plasma cylinder, 407

THORNE, R. M. and SUMMERS, D. Analytical solutions for oblique wave growth from a ring-beam distribution, 485

VAHALA, G. *See* ZHOU, Y. and VAHALA, G.

VAN DAM, J. W. *See* FU, G. and VAN DAM, J. W.

VERHEEST, F. Ion-acoustic solitons in multi-component plasmas including negative ions at critical densities, 71

WEYSSOW, B. and BALESCU, R. Hamiltonian theory of the generalized oscillation-centre transformation, 81

WILLETT, J. E. and WU, H.-S. Low-frequency flute modes in a magnetic quadrupole, 503

WU, H.-S. *See* WILLETT, J. E. and WU, H.-S.

ZANK, G. P. and MCKENZIE, J. F. Solitons in an ion-beam plasma, 183

ZANK, G. P. and MCKENZIE, J. F. Properties of waves in an ion-beam plasma system, 193

ZANK, G. P. The time-asymptotic stability of shocks in cosmic-ray hydrodynamics, 539

ZHOU, Y. and VAHALA, G. Renormalization-group theory for Alvén-wave turbulence, 511

ZIEBELL, L. F. Electron cyclotron absorption for oblique propagation in loss-cone plasmas, 431